

2023 12

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na ₂ O	M	DT
50mm		4800kcal kg	18% 38%	2.5 %	2.0 %	8%	1350
		4600kcal kg	15% 40%	4.0 %	2.0 %	---	---

1.

5

3000

2.

2023 12 14 10

< 1 10

1 2 15 8 3000

2 15 8 5000

20 /

8000

0.02 / .

3.

13 %

4.

10

5.

3

6.

10

7.

10

8.

90% 110%

90%

110%

0.002 / .

0.002 /

9.

0.02 / .

10.

<p>Qnet. ar 4800 St. d 2.5% 18% Vdaf 38% Na₂O 2.0% 0. xxx / .</p>	<p>Qnet. ar <4800 Kcal / Qnet. ar 100 0.005 / . 100 38%<Vdaf 40% Vdaf 1 0.002 / Vdaf 40% 1 0.005 / . 8000 < 12000 8000 0.02 / . >12000 12000 0.03 / .</p>	<p>1. 2.5%<St. d 3.0% St. d 0.1 1 2. 3.0%<St. d 3.5% St. d 0.1 2 3. St. d>3.5% St. d 0.1 5</p> <p>2.0% 1. 2.0%<Na₂O 3.5% 0.1 5 0.1 2. 3.5%<Na₂O 4.5% 0.1 10 3. Na₂O>4.5% 0.1 20 0.1</p>	<p>90-110% 80% <90% -0.002 / . 70% <80% 60% -0.004 / . <70% -0.006 / 50% <60% -0.008 / . 40% <50% -0.010 / . <40% -0.020 / .</p>	
	<p>Qnet. ar 4600Kcal / St. d 4.0% 15% Vdaf 40% Na₂O 2.0%</p>	<p>Qnet. ar <4600 St. d 4% Vdaf <15% Vdaf 40% 2.0% Vdaf <15% 20 / Vdaf <18% 20 /</p>		
	<p>(/</p>	<p>(%)</p>	<p>%</p>	
	<p>8% Vdaf 38% 5% 4800 2.0%</p>			

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- .

