

1.

2.

3.

| | | Qnet. ar | (Vdaf) | St. d | M | Na ₂ O+K ₂ O | DT |
|------|--|-------------|--------|-------|----|------------------------------------|------|
| 50mm | | 5000kcal kg | 15% | 2.5% | 8% | 3.0% | 1350 |
| | | 4700kcal kg | 15% | 4.5% | — | 3.0% | — |

1.

3

3000

2

2024 10 21 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 10

| | | | | | | |
|---|--|---|--|------------------------------------|------|--|
| <p>Qnet. ar 5000 St. d 2.5% Vdaf 15% Na₂O+k₂O 3.0% 0. xxx /</p> | <p>5000 Qnet. ar 4700Kcal / 100 0.002 /</p> <p>2. Qnet. ar <4700 Kcal / Qnet. ar 100 0.005 /</p> <p>Vdaf >15% Vdaf 0.005 /</p> <p>1</p> <p>8000 < 12000 8000 0.02 /</p> <p>>12000 12000 0.03 /</p> | <p>1. 2.5%-St. d 3.5% St. d 0.1 0.1</p> <p>2. 3.5%-St. d 4.0% St. d 0.1 0.1</p> <p>3. St. d>, 4.0% St. d 0.1</p> <p>5 0.1</p> <p>Na₂O+K₂O</p> <p>3.0%</p> <p>1. 3.0%-Na₂O+k₂O 3.5% 0.1</p> <p>2. 3.5%-Na₂O+k₂O 4.5% 0.1</p> <p>3. Na₂O+k₂O>4.5% 0.1</p> <p>10</p> | <p>1 95-110%</p> <p>3 90% <95% -0.002 /</p> <p>80% <90% -0.004 /</p> <p>70% <80% -0.006 /</p> <p>60% <70% -0.008 /</p> <p>50% <60% -0.010 /</p> <p>40% <50% -0.015 /</p> <p>-0.020 / <40%</p> | | | |
| | <p>Qnet. ar 4700Kcal / St. d 4.5 % Vdaf 15 %</p> <p><4700 4.5% Vdaf >15% Na₂O+K₂O 3.0%</p> | | | | | |
| | (/ .) | (%) | % | Na ₂ O+K ₂ O | | |
| | | 15% | , 2.5% | 5000 | 3.0% | |

1. 3000 3
- 2.
3. Qnet. ar 5000kcal St. d 2.5% Vdaf 15% 3.0%
- 4.
5. 3 10
6. cnf.dntbj.cg@163.com
7. 2024 10 21 10 0830-3628072 0830-3628078